

Certificate of Conformity

Global-Mark Pty. Ltd., certify the electrical equipment described hereunder complies with standards listed herein and notifies the certificate holder to affix the authorised Approval Mark on the product of the same type and the Regulatory Compliance Mark (RCM) mark provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled. In placing the Approval and RCM mark on the product, the Responsible Supplier makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein. – This Certificate meets the requirements of a Recognised External Certification Scheme (EESS- RECS) and a Recognised External Approval Scheme (NSW-REAS).

CERTIFICATION AND CERTIFICATE HOLDER DETAILS

Company Name	GuangZhou Electrony Corporation	Other Name	
Address	2nd Floor, 3 DaLi Road, Dali Village, Taihe Town, Baiyun District Guangzhou - 510540 China		
Client ID	104993	Global-Mark File Number:	104993-007
Certificate Number & Approval Mark	GMA-518240-EA	Revision Number	00
Certification Standard(s)	AS/NZS 60335.2.29:2017 including A1 & AS/NZS 60335.1:2020 including A1 Household and similar electrical appliances - Safety - - Particular requirements for battery chargers		
Type of Certification	Electrical Safety Product Scheme Global-Mark Electrical Product Safety Certification Scheme		

CERTIFICATE DATES

Certificate Issue Date	25/03/2024
Certificate Last Update Date	
Certification Expiry Date	25/03/2029

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

Page 1 of 10



Certificate of Conformity

CERTIFIED ELECTRICAL EQUIPMENT				
Declared Article	Product Description	Trade Name	Model Number	Rating
Power Supply or Charger	Charger	XieTong	XT30V033A200	Input: 100-240VAC, 50/60Hz, 5.0A (Max); Output: 3.3V, 20.0A, 66.0W
Power Supply or Charger	Charger	XieTong	XT30V036A200	Input: 100-240VAC, 50/60Hz, 5.0A (Max); Output: 3.65V, 20.0A, 73.0W
Power Supply or Charger	Charger	XieTong	XT30V037A200	Input: 100-240VAC, 50/60Hz, 5.0A (Max); Output: 3.75V, 20.0A, 75.0W
Power Supply or Charger	Charger	XieTong	XT30V042A200	Input: 100-240VAC, 50/60Hz, 5.0A (Max); Output: 4.2V, 20.0A, 84.0W
Power Supply or Charger	Charger	XieTong	XT30V073A200	Input: 100-240VAC, 50/60Hz, 5.0A (Max); Output: 7.3V, 20.0A, 146.0W
Power Supply or Charger	Charger	XieTong	XT30V084A200	Input: 100-240VAC, 50/60Hz, 5.0A (Max); Output: 8.4V, 20.0A, 168.0W
Power Supply or Charger	Charger	XieTong	XT30V090A200	Input: 100-240VAC, 50/60Hz, 5.0A (Max); Output: 9V, 20.0A, 180.0W
Power Supply or Charger	Charger	XieTong	XT30V120A200	Input: 100-240VAC, 50/60Hz, 5.0A (Max); Output: 12V, 20.0A, 240.0W
Power Supply or Charger	Charger	XieTong	XT30V120A150	Input: 100-240VAC, 50/60Hz, 5.0A (Max); Output: 12V, 15.0A, 180.0W
Power Supply or Charger	Charger	XieTong	XT30V126A150	Input: 100-240VAC, 50/60Hz, 5.0A (Max); Output: 12.6V, 15.0A, 189.0W
Power Supply or Charger	Charger	XieTong	XT30V126A120	Input: 100-240VAC, 50/60Hz, 5.0A (Max); Output: 12.6V, 12.0A, 151.2W
Power Supply or Charger	Charger	XieTong	XT30V126A100	Input: 100-240VAC, 50/60Hz, 5.0A (Max); Output: 12.6V, 10.0A, 126.0W
Power Supply or Charger	Charger	XieTong	XT30V146A150	Input: 100-240VAC, 50/60Hz, 5.0A (Max); Output: 14.6V, 15.0A, 219.0W
Power Supply or Charger	Charger	XieTong	XT30V146A120	Input: 100-240VAC, 50/60Hz, 5.0A (Max); Output: 14.6V, 12.0A, 175.2W

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager



Certificate of Conformity

Power Supply or Charger	Charger	XieTong	XT30V146A100	Input:100-240VAC,50/60Hz,5.0A (Max); Output:14.6V,10.0A,146.0W
Power Supply or Charger	Charger	XieTong	XT30V150A150	Input:100-240VAC,50/60Hz,5.0A (Max); Output:15V,15.0A,225.0W
Power Supply or Charger	Charger	XieTong	XT30V150A120	Input:100-240VAC,50/60Hz,5.0A (Max); Output:15V,12.0A,180.0W
Power Supply or Charger	Charger	XieTong	XT30V150A100	Input:100-240VAC,50/60Hz,5.0A (Max); Output:15V,10.0A,150.0W
Power Supply or Charger	Charger	XieTong	XT30V168A150	Input:100-240VAC,50/60Hz,5.0A (Max); Output:16.8V,15.0A,252.0W
Power Supply or Charger	Charger	XieTong	XT30V168A120	Input:100-240VAC,50/60Hz,5.0A (Max); Output:16.8V,12.0A,201.6W
Power Supply or Charger	Charger	XieTong	XT30V168A100	Input:100-240VAC,50/60Hz,5.0A (Max); Output:16.8V,10.0A,168.0W
Power Supply or Charger	Charger	XieTong	XT30V180A100	Input:100-240VAC,50/60Hz,5.0A (Max); Output:18V,10.0A,180.0W
Power Supply or Charger	Charger	XieTong	XT30V180A080	Input:100-240VAC,50/60Hz,5.0A (Max); Output:18V,8.0A,144.0W
Power Supply or Charger	Charger	XieTong	XT30V200A100	Input:100-240VAC,50/60Hz,5.0A (Max); Output:20V,10.0A,200.0W
Power Supply or Charger	Charger	XieTong	XT30V210A100	Input:100-240VAC,50/60Hz,5.0A (Max); Output:21V,10.0A,210.0W
Power Supply or Charger	Charger	XieTong	XT30V210A080	Input:100-240VAC,50/60Hz,5.0A (Max); Output:21V,8.0A,168.0W
Power Supply or Charger	Charger	XieTong	XT30V252A100	Input:100-240VAC,50/60Hz,5.0A (Max); Output:25.2V,10.0A,252.0W
Power Supply or Charger	Charger	XieTong	XT30V252A080	Input:100-240VAC,50/60Hz,5.0A (Max); Output:25.2V,8.0A,201.6W
Power Supply or Charger	Charger	XieTong	XT30V292A100	Input:100-240VAC,50/60Hz,5.0A (Max); Output:29.2V,10.0A,292.0W

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

Page 3 of 10



Certificate of Conformity

Power Supply or Charger	Charger	XieTong	XT30V292A090	Input:100-240VAC,50/60Hz,5.0A (Max); Output:29.2V,9.0A,262.8W
Power Supply or Charger	Charger	XieTong	XT30V292A080	Input:100-240VAC,50/60Hz,5.0A (Max); Output:29.2V,8.0A,233.6W
Power Supply or Charger	Charger	XieTong	XT30V292A060	Input:100-240VAC,50/60Hz,5.0A (Max); Output:29.2V,6.0A,175.2W
Power Supply or Charger	Charger	XieTong	XT30V292A050	Input:100-240VAC,50/60Hz,5.0A (Max); Output:29.2V,5.0A,146.0W
Power Supply or Charger	Charger	XieTong	XT30V294A100	Input:100-240VAC,50/60Hz,5.0A (Max); Output:29.4V,10.0A,294.0W
Power Supply or Charger	Charger	XieTong	XT30V294A090	Input:100-240VAC,50/60Hz,5.0A (Max); Output:29.4V,9.0A,264.6W
Power Supply or Charger	Charger	XieTong	XT30V294A080	Input:100-240VAC,50/60Hz,5.0A (Max); Output:29.4V,8.0A,235.2W
Power Supply or Charger	Charger	XieTong	XT30V294A060	Input:100-240VAC,50/60Hz,5.0A (Max); Output:29.4V,6.0A,176.4W
Power Supply or Charger	Charger	XieTong	XT30V294A050	Input:100-240VAC,50/60Hz,5.0A (Max); Output:29.4V,5.0A,147.0W
Power Supply or Charger	Charger	XieTong	XT30V300A070	Input:100-240VAC,50/60Hz,5.0A (Max); Output:30.0V,7.0A,210.0W
Power Supply or Charger	Charger	XieTong	XT30V300A060	Input:100-240VAC,50/60Hz,5.0A (Max); Output:30.0V,6.0A,180.0W
Power Supply or Charger	Charger	XieTong	XT30V300A050	Input:100-240VAC,50/60Hz,5.0A (Max); Output:30.0V,5.0A,150.0W
Power Supply or Charger	Charger	XieTong	XT30V336A070	Input:100-240VAC,50/60Hz,5.0A (Max); Output:33.6V,7.0A,235.2W
Power Supply or Charger	Charger	XieTong	XT30V336A060	Input:100-240VAC,50/60Hz,5.0A (Max); Output:33.6V,6.0A,201.6W
Power Supply or Charger	Charger	XieTong	XT30V336A050	Input:100-240VAC,50/60Hz,5.0A (Max); Output:33.6V,5.0A,168.0W

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

Page 4 of 10



Certificate of Conformity

Power Supply or Charger	Charger	XieTong	XT30V360A070	Input:100-240VAC,50/60Hz,5.0A (Max); Output:36V,7.0A, 252.0W
Power Supply or Charger	Charger	XieTong	XT30V360A060	Input:100-240VAC,50/60Hz,5.0A (Max); Output:36V,6.0A,216.0W
Power Supply or Charger	Charger	XieTong	XT30V360A050	Input:100-240VAC,50/60Hz,5.0A (Max); Output:36V,5.0A,180.0W
Power Supply or Charger	Charger	XieTong	XT30V365A070	Input:100-240VAC,50/60Hz,5.0A (Max); Output:36.5V,7.0A,255.5W
Power Supply or Charger	Charger	XieTong	XT30V365A060	Input:100-240VAC,50/60Hz,5.0A (Max); Output:36.5V,6.0A,219.0W
Power Supply or Charger	Charger	XieTong	XT30V365A050	Input:100-240VAC,50/60Hz,5.0A (Max); Output:36.5V,5.0A,182.5W
Power Supply or Charger	Charger	XieTong	XT30V378A070	Input:100-240VAC,50/60Hz,5.0A (Max); Output:37.8V,7.0A,264.6W
Power Supply or Charger	Charger	XieTong	XT30V378A060	Input:100-240VAC,50/60Hz,5.0A (Max); Output:37.8V,6.0A,226.8/W
Power Supply or Charger	Charger	XieTong	XT30V378A050	Input:100-240VAC,50/60Hz,5.0A (Max); Output:37.8V,5.0A,189.0W
Power Supply or Charger	Charger	XieTong	XT30V380A070	Input:100-240VAC,50/60Hz,5.0A (Max); Output:38V,7.0A,266.0W
Power Supply or Charger	Charger	XieTong	XT30V380A060	Input:100-240VAC,50/60Hz,5.0A (Max); Output:38V,6.0A,228.0W
Power Supply or Charger	Charger	XieTong	XT30V420A070	Input:100-240VAC,50/60Hz,5.0A (Max); Output:42V,7.0A,294.0W
Power Supply or Charger	Charger	XieTong	XT30V420A060	Input:100-240VAC,50/60Hz,5.0A (Max); Output:42V,6.0A,252.0W
Power Supply or Charger	Charger	XieTong	XT30V420A050	Input:100-240VAC,50/60Hz,5.0A (Max); Output:42V,5.0A,210.0W
Power Supply or Charger	Charger	XieTong	XT30V438A070	Input:100-240VAC,50/60Hz,5.0A (Max); Output:43.8V,7.0A,306.6W

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

Page 5 of 10



Certificate of Conformity

Power Supply or Charger	Charger	XieTong	XT30V438A060	Input:100-240VAC,50/60Hz,5.0A (Max); Output:43.8V,6.0A,262.8W
Power Supply or Charger	Charger	XieTong	XT30V438A050	Input:100-240VAC,50/60Hz,5.0A (Max); Output:43.8V,5.0A,219.0W
Power Supply or Charger	Charger	XieTong	XT30V441A060	Input:100-240VAC,50/60Hz,5.0A (Max); Output:44.1V,6.0A,264.6W
Power Supply or Charger	Charger	XieTong	XT30V441A050	Input:100-240VAC,50/60Hz,5.0A (Max); Output:44.1V,5.0A,220.5W
Power Supply or Charger	Charger	XieTong	XT30V441A040	Input:100-240VAC,50/60Hz,5.0A (Max); Output:44.1V,4.0A,176.4W
Power Supply or Charger	Charger	XieTong	XT30V480A060	Input:100-240VAC,50/60Hz,5.0A (Max); Output:48V,6.0A,288.0W
Power Supply or Charger	Charger	XieTong	XT30V480A050	Input:100-240VAC,50/60Hz,5.0A (Max); Output:48V,5.0A,240.0W
Power Supply or Charger	Charger	XieTong	XT30V480A040	Input:100-240VAC,50/60Hz,5.0A (Max); Output:48V,4.0A,192.0W
Power Supply or Charger	Charger	XieTong	XT30V480A030	Input:100-240VAC,50/60Hz,5.0A (Max); Output:48V,3.0A,144.0W
Power Supply or Charger	Charger	XieTong	XT30V504A060	Input:100-240VAC,50/60Hz,5.0A (Max); Output:50.4V,6.0A,302.4W
Power Supply or Charger	Charger	XieTong	XT30V504A050	Input:100-240VAC,50/60Hz,5.0A (Max); Output:50.4V,5.0A,252.0W
Power Supply or Charger	Charger	XieTong	XT30V504A040	Input:100-240VAC,50/60Hz,5.0A (Max); Output:50.4V,4.0A,201.6W
Power Supply or Charger	Charger	XieTong	XT30V546A060	Input:100-240VAC,50/60Hz,5.0A (Max); Output:54.6V,6.0A,327.6W
Power Supply or Charger	Charger	XieTong	XT30V546A050	Input:100-240VAC,50/60Hz,5.0A (Max); Output:54.6V,5.0A,273.0W
Power Supply or Charger	Charger	XieTong	XT30V546A040	Input:100-240VAC,50/60Hz,5.0A (Max); Output:54.6V,4.0A,218.4W

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

Page 6 of 10



Certificate of Conformity

Power Supply or Charger	Charger	XieTong	XT30V547A050	Input:100-240VAC,50/60Hz,5.0A (Max); Output:54.75V,5.0A,273.75W
Power Supply or Charger	Charger	XieTong	XT30V547A040	Input:100-240VAC,50/60Hz,5.0A (Max); Output:54.75V,4.0A,219.0W
Power Supply or Charger	Charger	XieTong	XT30V547A030	Input:100-240VAC,50/60Hz,5.0A (Max); Output:54.75V,3.0A,164.25W
Power Supply or Charger	Charger	XieTong	XT30V584A050	Input:100-240VAC,50/60Hz,5.0A (Max); Output:58.4V,5.0A,292.0W
Power Supply or Charger	Charger	XieTong	XT30V584A040	Input:100-240VAC,50/60Hz,5.0A (Max); Output:58.4V,4.0A,233.6W
Power Supply or Charger	Charger	XieTong	XT30V584A030	Input:100-240VAC,50/60Hz,5.0A (Max); Output:58.4V,3.0A,175.2W
Power Supply or Charger	Charger	XieTong	XT30V588A050	Input:100-240VAC,50/60Hz,5.0A (Max); Output:58.8V,5.0A,294.0W
Power Supply or Charger	Charger	XieTong	XT30V588A040	Input:100-240VAC,50/60Hz,5.0A (Max); Output:58.8V,4.0A,235.2W
Power Supply or Charger	Charger	XieTong	XT30V588A030	Input:100-240VAC,50/60Hz,5.0A (Max); Output:58.8V,3.0A,176.4W
Power Supply or Charger	Charger	XieTong	XT30V592A050	Input:100-240VAC,50/60Hz,5.0A (Max); Output:59.2V,5.0A,296.0W
Power Supply or Charger	Charger	XieTong	XT30V592A040	Input:100-240VAC,50/60Hz,5.0A (Max); Output:59.2V,4.0A,236.8W
Power Supply or Charger	Charger	XieTong	XT30V592A030	Input:100-240VAC,50/60Hz,5.0A (Max); Output:59.2V,3.0A,177.6W
Power Supply or Charger	Charger	XieTong	XT30V594A050	Input:100-240VAC,50/60Hz,5.0A (Max); Output:59.4V,5.0A,297.0W
Power Supply or Charger	Charger	XieTong	XT30V594A040	Input:100-240VAC,50/60Hz,5.0A (Max); Output:59.4V,4.0A,237.6W
Power Supply or Charger	Charger	XieTong	XT30V594A030	Input:100-240VAC,50/60Hz,5.0A (Max); Output:59.4V,3.0A,178.2W

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

Page 7 of 10



Certificate of Conformity

Power Supply or Charger	Charger	XieTong	XT30V600A050	Input:100-240VAC,50/60Hz,5.0A (Max); Output:60V,5.0A,300.0W
Power Supply or Charger	Charger	XieTong	XT30V600A040	Input:100-240VAC,50/60Hz,5.0A (Max); Output:60V,4.0A,240.0W
Power Supply or Charger	Charger	XieTong	XT30V600A030	Input:100-240VAC,50/60Hz,5.0A (Max); Output:60V,3.0A,180.0W
Power Supply or Charger	Charger	XieTong	XT30V630A050	Input:100-240VAC,50/60Hz,5.0A (Max); Output:63V,5.0A,315.0W
Power Supply or Charger	Charger	XieTong	XT30V630A040	Input:100-240VAC,50/60Hz,5.0A (Max); Output:63V,4.0A,252.0W
Power Supply or Charger	Charger	XieTong	XT30V672A030	Input:100-240VAC,50/60Hz,5.0A (Max); Output:67.2V,3.0A,201.6W
Power Supply or Charger	Charger	XieTong	XT30V672A020	Input:100-240VAC,50/60Hz,5.0A (Max); Output:67.2V,2.0A,134.4W
Power Supply or Charger	Charger	XieTong	XT30V714A050	Input:100-240VAC,50/60Hz,5.0A (Max); Output:71.4V,5.0A,357.0W
Power Supply or Charger	Charger	XieTong	XT30V714A040	Input:100-240VAC,50/60Hz,5.0A (Max); Output:71.4V,4.0A,285.6W
Power Supply or Charger	Charger	XieTong	XT30V714A030	Input:100-240VAC,50/60Hz,5.0A (Max); Output:71.4V,3.0A,214.2W
Power Supply or Charger	Charger	XieTong	XT30V730A040	Input:100-240VAC,50/60Hz,5.0A (Max); Output:73V,4.0A,292.0W
Power Supply or Charger	Charger	XieTong	XT30V730A030	Input:100-240VAC,50/60Hz,5.0A (Max); Output:73V,3.0A,219.0W
Power Supply or Charger	Charger	XieTong	XT30V730A020	Input:100-240VAC,50/60Hz,5.0A (Max); Output:73V,2.0A,146.0W
Power Supply or Charger	Charger	XieTong	XT30V735A040	Input:100-240VAC,50/60Hz,5.0A (Max); Output:73.5V,4.0A,294.0W
Power Supply or Charger	Charger	XieTong	XT30V735A030	Input:100-240VAC,50/60Hz,5.0A (Max); Output:73.5V,3.0A,220.5W

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager



Certificate of Conformity

Power Supply or Charger	Charger	XieTong	XT30V740A040	Input:100-240VAC,50/60Hz,5.0A (Max); Output:74V,4.0A,296.0W
Power Supply or Charger	Charger	XieTong	XT30V740A030	Input:100-240VAC,50/60Hz,5.0A (Max); Output:74V,3.0A,222.0W
Power Supply or Charger	Charger	XieTong	XT30V756A040	Input:100-240VAC,50/60Hz,5.0A (Max); Output:75.6V,4.0A,302.4W
Power Supply or Charger	Charger	XieTong	XT30V756A030	Input:100-240VAC,50/60Hz,5.0A (Max); Output:75.6V,3.0A,226.8W
Power Supply or Charger	Charger	XieTong	XT30V780A040	Input:100-240VAC,50/60Hz,5.0A (Max); Output:78V,4.0A,312.0W
Power Supply or Charger	Charger	XieTong	XT30V780A030	Input:100-240VAC,50/60Hz,5.0A (Max); Output:78V,3.0A,234.0W
Power Supply or Charger	Charger	XieTong	XT30V840A040	Input:100-240VAC,50/60Hz,5.0A (Max); Output:84V,4.0A,336.0W
Power Supply or Charger	Charger	XieTong	XT30V840A030	Input:100-240VAC,50/60Hz,5.0A (Max); Output:84V,3.0A,252.0W
Power Supply or Charger	Charger	XieTong	XT30V840A020	Input:100-240VAC,50/60Hz,5.0A (Max); Output:84V,2.0A,168.0W
Power Supply or Charger	Charger	XieTong	XT30V876A035	Input:100-240VAC,50/60Hz,5.0A (Max); Output:87.6V,3.5A,306.6W
Power Supply or Charger	Charger	XieTong	XT30V876A030	Input:100-240VAC,50/60Hz,5.0A (Max); Output:87.6V,3A,262.8W
Power Supply or Charger	Charger	XieTong	XT30V876A020	Input:100-240VAC,50/60Hz,5.0A (Max); Output:87.6V,2A,175.2W
Power Supply or Charger	Charger	XieTong	XT30V924A035	Input:100-240VAC,50/60Hz,5.0A (Max); Output:92.4V,3.5A,323.4W
Power Supply or Charger	Charger	XieTong	XT30V924A030	Input:100-240VAC,50/60Hz,5.0A (Max); Output:92.4V,3A,277.2W
Power Supply or Charger	Charger	XieTong	XT30V924A025	Input:100-240VAC,50/60Hz,5.0A (Max); Output:92.4V,2.5A,231.0W

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

Page 9 of 10



Certificate of Conformity

Power Supply or Charger	Charger	XieTong	XT30V924A020	Input:100-240VAC,50/60Hz,5.0A (Max); Output:92.4V,2A,184.8W
Power Supply or Charger	Charger	XieTong	XT30V960A035	Input:100-240VAC,50/60Hz,5.0A (Max); Output:96V,3.5A,336.0W
Power Supply or Charger	Charger	XieTong	XT30V960A030	Input:100-240VAC,50/60Hz,5.0A (Max); Output:96V,3.0A,288.0W
Power Supply or Charger	Charger	XieTong	XT30V960A025	Input:100-240VAC,50/60Hz,5.0A (Max); Output:96V,2.5A,240.0W
Power Supply or Charger	Charger	XieTong	XT30V960A020	Input:100-240VAC,50/60Hz,5.0A (Max); Output:96V,2.0A,192.0W
Power Supply or Charger	Charger	XieTong	XT30V966A035	Input:100-240VAC,50/60Hz,5.0A (Max); Output:96.6V,3.5A,338.1W
Power Supply or Charger	Charger	XieTong	XT30V966A030	Input:100-240VAC,50/60Hz,5.0A (Max); Output:96.6V,3.0A,298.8W
Power Supply or Charger	Charger	XieTong	XT30V966A025	Input:100-240VAC,50/60Hz,5.0A (Max); Output:96.6V,2.5A,241.5W
Power Supply or Charger	Charger	XieTong	XT30V966A020	Input:100-240VAC,50/60Hz,5.0A (Max); Output:96.6V,2.0A,193.2W

RELEVANT TRADEMARK (S)

COMMENTS OR CONDITIONS ON THE CERTIFICATION

For charging Li-ion batteries

End of document

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

Page 10 of 10

